



gutter fasteners

There's a gutter fastener for every job and every preference. Find the choice that meets your high standards for strength, ease of installation, and durability.

gutter fasteners

317.781.5464 www.wilcosupply.net

317.781.5464 www.wilcosupply.net





- a. FERRULES
- b. ALUMINUM SPIKES
- c. MAZE SPIKES

USES:

Secure gutter to fascia board. Spikes are driven through gutter and into ferrules (inside the gutter) for added strength.

FEATURES:

Ferrules: Made with .013 gauge aluminum, a mill finish, and inter-fin (90-degree bend) design for extra strength.

Aluminum Spikes: (see Maze Spikes) Standard color availability.

Maze Spikes: Barbed (not smooth) end, double hot-dipped galvanized, and bigger shank for ultimate holding power. Mill finish requires painting of spike heads. Recommended for use with heavy snow or ice and for long gutter runs when an expansion joint cannot be placed (virtually bend proof). Will not react with aluminum.

over for specifications



Barbed end of spike adds space for expansion and contraction.



FERRULES
ALUMINUM SPIKES
MAZE SPIKES

SIZES:

Ferrules

5 inch (500 pcs/carton)

6 inch (500 pcs/carton)

Maze Spikes

7 inch (50 lb/carton)

8 inch (50 lb/carton)

Aluminum Spikes

7 inch (500 pcs/carton)

8 inch (500 pcs/carton)

317.781.5464

www.wilcosupply.net



a. MASONRY NAILS
b. HANGER NAILS

USES:

Masonry Nails are used to attach downspout straps to masonry.

Hanger Nails are used to attach hangers or downspout straps to wood wall.

FEATURES:

Masonry Nails: Hardened flute design.

Hanger Nails: Spiral shank, double hot-tip galvanized nail will not react against aluminum.

a.



b.



**MASONRY NAILS
HANGER NAILS**

SIZES:

Masonry Nails

1 1/4 inch (5 lb or 50lb/carton)

Hanger Nails

2 inch (5 lb or 50lb/carton)

317.781.5464 www.wilcosupply.net





- a. 8" x 1/2" SCREWS
- b. 10" x 1 1/2" SCREWS
- c. POP RIVETS

USES:

Fasteners used to connect metal gutter pieces.

FEATURES:

8 x 1/2 Screws: Self-taping, double-zinc coated for no rust.

Requires a 1/4 inch nut driver for installation. Available in all colors.

10 x 1 1/2 Screws: Number-10 head is largest, hanger-friendly screw head available. Self-taping screw is made with deep head for stability with nut driver. Available in Mill Finish.

Pop Rivet: #42 rivet makes for a cleaner look than screws, but requires more time for installation. Requires pre-drilling of 1/8 inch hole and tight fit for rivet to hold properly. Semi-permanent gutter element may require additional labor to remove for warranty work.

over for specifications



Deep-head design adds stability.



8 x 1/2 SCREWS

10 x 1 SCREWS

POP RIVETS

SIZES:

Screws

8 x 1/2 inch (1000 pcs/carton)

10 x 1 1/2 inch (1000 or 4000 pcs/carton)

Pop Rivets

#42 (1000 pcs/carton)

317.781.5464 **www.wilcosupply.net**

