



## gutter hangers

Screw hangers, strong hangers, T-straps, J-hooks, vampire and wraparound hangers...take your pick. The point is, there are plenty of ways to ensure that gutters have the strength and durability to withstand weather, water weight, and age.

gutter hangers

317.781.5464 [www.wilcosupply.net](http://www.wilcosupply.net)





gutter hangers

### WILCO ECONO SCREW HANGER

#### USES:

Secures gutter to fascia (does not need to be nailed or screwed to sheathing before roof is shingled).

#### FEATURES:

Made from .063 5052-H32 high-strength, corrosion-resistant aluminum and available with or without clip. One of the strongest, most economical screw hangers on the market. Gusset is formed around the tip for extra strength. Chamfered tip and corners mean easy installation.



*Cone shape is designed to collapse while screwing into fascia board, preventing screw failure from overtightening.*



over for specifications

317.781.5464 [www.wilcosupply.net](http://www.wilcosupply.net)

**WILCO ECONO  
SCREW HANGER**

**SIZES:**

5 inch (1200 pcs/carton)

6 inch (700 pcs/carton)

**317.781.5464**

**[www.wilcosupply.net](http://www.wilcosupply.net)**





## WILCO STRONG HANGER

### USES:

Secures gutter to fascia (does not need to be nailed or screwed to sheathing before roof is shingled).

### FEATURES:

Made from 3005 alloy with a deep-seating front lip, deep-channel body, radial corner bends, t-strap key hole and available with or without clip. Very strong, stable, and economical hanger that reduces the chance of a gutter rattling in the wind.



over for specifications

**WILCO STRONG HANGER**

**SIZES:**

5 inch (1000 pcs/carton)

6 inch (500 pcs/carton)

**317.781.5464**

**[www.wilcosupply.net](http://www.wilcosupply.net)**





## HANGER WITH SCREW

### USES:

Secures gutter to fascia (does not need to be nailed or screwed to sheathing before roof is shingled).

### FEATURES:

Made from 3005 alloy with screw-locking dimple, reinforcing corner gussets, embossed stiffener rib, solid screw barrel, and bugle-tapered screw head for fast, easy installation and upkeep and proven hanger strength.



over for specifications

**HANGER WITH SCREW**

**SIZES:**

5 inch (500 pcs/carton)

6 inch (250 pcs/carton)

**317.781.5464**

**[www.wilcosupply.net](http://www.wilcosupply.net)**





**STANDARD HANGER**

- a. Regular
- b. Backless

**USES:**

Secures gutter to fascia (does not need to be nailed or screwed to sheathing before roof is shingled).

**FEATURES:**

Standard-with-holes or backless hangers are made from .063 5052-H32 high-strength, corrosion-resistant aluminum. Economical hanger designed with a reinforced hook, T-slots for additional strap, and gusset formed around the tip for extra strength.



over for specifications

**STANDARD HANGER**

**SIZES:**

5 inch (1000 pcs/carton)

6 inch (500 pcs/carton)

**317.781.5464**

**[www.wilcosupply.net](http://www.wilcosupply.net)**





gutter hangers

## WILCO HANGER

### USES:

Secures gutter to fascia (does not need to be nailed or screwed to sheathing before roof is shingled).

### FEATURES:

Wilco hangers are made from .063 5052-H32 high-strength, corrosion-resistant aluminum. Gap in the back of the hanger slides without distortion, allowing for gutter installation behind the drip edge.



*Gusset is formed around the tip for extra strength. Chamfered tip and corners mean easy installation.*



over for specifications

317.781.5464 [www.wilcosupply.net](http://www.wilcosupply.net)

**WILCO HANGER**

**SIZES:**

5 inch (1200 pcs/carton)

6 inch (700 pcs/carton)

**317.781.5464**

**[www.wilcosupply.net](http://www.wilcosupply.net)**





- a. T-STRAP
- b. J-HOOK

**USES:**

Reinforce front edge of gutters and prevent bowing. Excellent choice for areas with heavy snow or ice.

**FEATURES:**

**T-strap:** Made from stainless steel for maximum strength and stability. Compatible with 5 and 6 inch hangers with T-strap slots. Requires nailing through the top of the roof.

**J-hook:** Made from aluminum, locks under front lip of the 5 or 6 inch gutter, and can be nailed or screwed to the top of the roof.



over for specifications

**T-STRAP  
J-HOOK**

**SIZES:**

5 inch (100 pcs/carton)

6 inch (100 pcs/carton)

**317.781.5464**

**[www.wilcosupply.net](http://www.wilcosupply.net)**






- a. WRAP-AROUND HANGER
- b. VAMPIRE HANGER

**USES:**

Secure gutters to the roof when there is no fascia board and rafter tips are tapered down.

**FEATURES:**

Hangers use roof to support gutters, with T-straps nailed through the top of the roof.



*Requires special tool for installation  
(please ask your Wilco representa-  
tive for more information).*

*over for specifications*

**WRAP-AROUND HANGER  
VAMPIRE HANGER**

**SIZES:**

**Wrap-around Hanger**

5 inch (50 pcs/carton)

6 inch (50 pcs/carton)

**Vampire Hanger**

5 inch (100 pcs/carton)

6 inch (100 pcs/carton)

**317.781.5464**

**[www.wilcosupply.net](http://www.wilcosupply.net)**

