



gutter sealants & paint

High-quality sealants and paint put the final touches on a job well done. They also ensure the best gutter performance and appearance.

gutter sealants & paint

317.781.5464

www.wilcosupply.net

317.781.5464 **www.wilcosupply.net**





a. GEOCEL®
b. SPRAY PAINT

USES:

Geocel prevents the passage of air and moisture through small joints and seams. **Spray Paint** protects finishes and allows for a consistent appearance.

FEATURES:

Geocel 2320: Single component, elastomeric, semi-self leveling, high performance tripolymer sealant. Excellent adhesion, even in damp or wet conditions, to most building materials, copper, vinyl, and aluminum. Superior ultraviolet protection, paintable, and applied with a caulking gun. Available in white.

Spray Paint: Available in all colors.



a.

b.

over for specifications

**GEOCEL®
SPRAY PAINT**

SIZES:

Geocel
2320 (24 pcs/carton)

Spray Paint
12 oz (12 cans/carton)

317.781.5464 **www.wilcosupply.net**





**OSI® CAULK
RUSCOE CAULKING**

USES:

General purpose and specialty gutter, seam, and gap sealants.

FEATURES:

OSI GS-121 and GS-125:

General purpose sealants for gutters, downspouts, and sheet metal applications. GS-121 is available in white, has a 3 inch spout, and requires a caulking gun. GS-125 is available in white and aluminum and comes in a squeeze tube.

HM-270: Designed especially for non-porous building material.

Ruscoe Seam Sealer: An elastic, nitrile rubber sealant that's self-leveling and excellent on porous and non-porous substrates.

Ruscoe Permanent Sealer: Used for larger gap and slope applications and extremely accommodating to expansion and contraction.

over for specifications



Caulking gun required for all products other than GS-125 by OSI.



OSI® CAULK
RUSCOE CAULKING

SIZES:

OSI GS-121 (10 oz and 12 tubes/carton)

OSI GS-125 (7 oz and 24 tubes/carton)

OSI HM-270 (10 oz and 12 tubes/carton)

Ruscoe Seam Sealer (10.6 oz and 24 tubes/carton)

Ruscoe Permanent Sealer (10.6 oz and 24 tubes/carton)

317.781.5464 **www.wilcosupply.net**

